State of Alaska

Section of Epidemiology

Table 1. Reported Chlamydia Cases, by Age, Race and Sex -- Alaska, Jan-Dec 2001

Alaska 2001 Census = 632,200 Persons CT cases =2727

| | | AI/AN | | | Black | | | Asian/PI | | | White | | Ot | her/Unkno | wn |
|------------------|--------|--------|---------|--------|--------|---------|--------|----------|---------|--------|--------|---------|--------|-----------|---------|
| Age Group | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| Ages 00-04 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 0 | 0 | 0 |
| Ages 05-09 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ages 10-14 | 1 | 25 | 26 | 0 | 2 | 2 | 0 | 0 | 0 | 1 | 5 | 6 | 0 | 0 | 0 |
| Ages 15-19 | 59 | 378 | 437 | 37 | 83 | 120 | 14 | 28 | 42 | 74 | 305 | 379 | 5 | 21 | 26 |
| Ages 20-24 | 80 | 302 | 382 | 65 | 73 | 138 | 15 | 36 | 51 | 130 | 194 | 324 | 16 | 22 | 38 |
| Ages 25-29 | 35 | 146 | 181 | 31 | 14 | 45 | 9 | 21 | 30 | 55 | 57 | 112 | 1 | 7 | 8 |
| Ages 30-34 | 6 | 76 | 82 | 8 | 5 | 13 | 5 | 1 | 6 | 18 | 26 | 44 | 0 | 5 | 5 |
| Ages 35-39 | 14 | 54 | 68 | 10 | 4 | 14 | 3 | 4 | 7 | 9 | 10 | 19 | 2 | 0 | 2 |
| Ages 40-44 | 11 | 30 | 41 | 8 | 0 | 8 | 3 | 1 | 4 | 8 | 3 | 11 | 1 | 1 | 2 |
| Ages 45-49 | 7 | 14 | 21 | 2 | 1 | 3 | 1 | 0 | 1 | 4 | 1 | 5 | 0 | 0 | 0 |
| Ages 50-54 | 1 | 7 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0 |
| Ages 55-59 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 0 | 0 | 0 |
| Ages 60-64 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ages 65+ | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| Total | 217 | 1036 | 1253 | 161 | 182 | 343 | 50 | 91 | 141 | 305 | 604 | 909 | 25 | 56 | 81 |
| % Sex, by Race* | 17.32% | 82.68% | 100.00% | 46.94% | 53.06% | 100.00% | 35.46% | 64.54% | 100.00% | 33.55% | 66.45% | 100.00% | 30.86% | 69.14% | 100.00% |
| % Race, by Sex** | 28.63% | 52.62% | 45.95% | 21.24% | 9.24% | 12.58% | 6.60% | 4.62% | 5.17% | 40.24% | 30.68% | 33.33% | 3.30% | 2.84% | 2.97% |

^{* %} Sex, by Race refers to the percentage of chlamydia cases, by sex, within each race category.

^{** %} Race, by Sex refers to the percentage of chlamydia cases, by race, within each sex category.

Table 1. Continued

| | | All Races | | | |
|------------------|---------|-----------|---------|------------|---------|
| Age Group | Male | Female | Total | AgeGroup | AgeGrp% |
| Ages 00-04 | 3 | 2 | 5 | Ages 00-04 | 0.18% |
| Ages 05-09 | 0 | 0 | 0 | Ages 05-09 | 0.00% |
| Ages 10-14 | 2 | 32 | 34 | Ages 10-14 | 1.25% |
| Ages 15-19 | 189 | 815 | 1004 | Ages 15-19 | 36.82% |
| Ages 20-24 | 306 | 627 | 933 | Ages 20-24 | 34.21% |
| Ages 25-29 | 131 | 245 | 376 | Ages 25-29 | 13.79% |
| Ages 30-34 | 37 | 113 | 150 | Ages 30-34 | 5.50% |
| Ages 35-39 | 38 | 72 | 110 | Ages 35-39 | 4.03% |
| Ages 40-44 | 31 | 35 | 66 | Ages 40-44 | 2.42% |
| Ages 45-49 | 14 | 16 | 30 | Ages 45-49 | 1.10% |
| Ages 50-54 | 3 | 7 | 10 | Ages 50-54 | 0.37% |
| Ages 55-59 | 2 | 2 | 4 | Ages 55-59 | 0.15% |
| Ages 60-64 | 1 | 1 | 2 | Ages 60-64 | 0.07% |
| Ages 65+ | 1 | 0 | 1 | Ages 65+ | 0.04% |
| Unknown | 0 | 2 | 2 | Unknown | 0.07% |
| Total | 758 | 1969 | 2727 | Total | 100.00% |
| % Sex, by Race* | 27.80% | 72.20% | 100.00% | | |
| % Race, by Sex** | 100.00% | 100.00% | 100.00% | | |

^{* %} Sex, by Race refers to the percentage of chlamydia cases, by sex, within each race category.

 $[\]ensuremath{^{**}}$ % Race, by Sex refers to the percentage of chlamydia cases, by race, within each sex category.

Table 2. Reported Chlamydia Cases, by Age, Race, Sex and Alaska Native Region -- Alaska, Jan-Dec 2001*

| | Aleutian | n & Pribilofs | Anchor | age/Mat-Su | Arct | tic Slope | Bris | stol Bay | Copper | River/Prince | In | terior |
|---------------|----------|---------------|--------|------------|-------|------------|-------|------------|--------|--------------|-------|------------|
| | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% |
| TOTAL | 17 | 0.62% | 1487 | 54.53% | 62 | 2.27% | 25 | 0.92% | 17 | 0.62% | 404 | 14.81% |
| SEX | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Male | 6 | 35.29% | 517 | 34.77% | 10 | 16.13% | 9 | 36.00% | <5 | | 93 | 23.02% |
| Female | 11 | 64.71% | 970 | 65.23% | 52 | 83.87% | 16 | 64.00% | 13 | 76.47% | 311 | 76.98% |
| Other/Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| AGE GROUP | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Ages 00-04 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 05-09 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 10-14 | <5 | | 19 | 1.28% | <5 | | <5 | | <5 | | <5 | |
| Ages 15-19 | 6 | 35.29% | 538 | 36.18% | 20 | 32.26% | 8 | 32.00% | 9 | 52.94% | 157 | 38.86% |
| Ages 20-24 | 9 | 52.94% | 545 | 36.65% | 20 | 32.26% | <5 | | <5 | | 155 | 38.37% |
| Ages 25-29 | <5 | | 198 | 13.32% | 7 | 11.29% | 8 | 32.00% | <5 | | 55 | 13.61% |
| Ages 30-34 | <5 | | 70 | 4.71% | 7 | 11.29% | <5 | | <5 | | 16 | 3.96% |
| Ages 35-39 | <5 | | 51 | 3.43% | <5 | | <5 | | <5 | | 8 | 1.98% |
| Ages 40-44 | <5 | | 37 | 2.49% | <5 | | <5 | | <5 | | <5 | |
| Ages 45-49 | <5 | | 18 | 1.21% | <5 | | <5 | | <5 | | <5 | |
| Ages 50-54 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 55-59 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 60-64 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 65+ | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| RACE | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| White | <5 | | 607 | 40.82% | | | | | | | 183 | 45.30% |
| Black | <5 | | 266 | 17.89% | | | | | | | 68 | 16.83% |
| AI/AN | 10 | 58.82% | 453 | 30.46% | | | | | | | 122 | 30.20% |
| Asian/PI | <5 | | 113 | 7.60% | | | | | | | 12 | 2.97% |
| Other/Unknown | <5 | | 48 | 3.23% | | | | | | | 19 | 4.70% |

^{*} When case counts in any cell are less than 5, case numbers are shown as <5 and rates are not displayed.

Table 2. Continued

| | Kenai | Peninsula | Kod | iak Area | North | vest Arctic | Norte | on Sound | Sou | ıtheast | Yukon- | Kuskokwim |
|---------------|-------|------------|-------|------------|-------|-------------|-------|------------|-------|------------|--------|------------|
| | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% |
| TOTAL | 66 | 2.42% | 22 | 0.81% | 106 | 3.89% | 97 | 3.56% | 152 | 5.57% | 272 | 9.97% |
| SEX | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Male | 18 | 27.27% | <5 | | 14 | 13.21% | 20 | 20.62% | 30 | 19.74% | 33 | 12.13% |
| Female | 48 | 72.73% | 18 | 81.82% | 92 | 86.79% | 77 | 79.38% | 122 | 80.26% | 239 | 87.87% |
| Other/Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| AGE GROUP | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Ages 00-04 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 05-09 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 10-14 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 15-19 | 33 | 50.00% | 12 | 54.55% | 43 | 40.57% | 26 | 26.80% | 66 | 43.42% | 86 | 31.62% |
| Ages 20-24 | 18 | 27.27% | 6 | 27.27% | 35 | 33.02% | 34 | 35.05% | 47 | 30.92% | 56 | 20.59% |
| Ages 25-29 | 6 | 9.09% | <5 | | 10 | 9.43% | 18 | 18.56% | 20 | 13.16% | 47 | 17.28% |
| Ages 30-34 | <5 | | <5 | | <5 | | 5 | 5.15% | 10 | 6.58% | 35 | 12.87% |
| Ages 35-39 | <5 | | <5 | | 6 | 5.66% | 9 | 9.28% | <5 | | 25 | 9.19% |
| Ages 40-44 | <5 | | <5 | | <5 | | <5 | | <5 | | 15 | 5.51% |
| Ages 45-49 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 50-54 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 55-59 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 60-64 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 65+ | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| RACE | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| White | 44 | 66.67% | | | | | | | 55 | 36.18% | | |
| Black | <5 | | | | | | | | <5 | | | |
| AI/AN | 16 | 24.24% | | | | | | | 79 | 51.97% | | |
| Asian/PI | <5 | | | | | | | | 6 | 3.95% | | |
| Other/Unknown | <5 | | | | | | | | 8 | 5.26% | | |

^{*} When case counts in any cell are less than 5, case numbers are shown as <5 and rates are not displayed.

Table 2. Continued

| | Statew | vide Totals |
|---------------|--------|-------------|
| | Cases | Statewide% |
| TOTAL | 2727 | 100.00% |
| SEX | Cases | Statewide% |
| Male | 758 | 27.80% |
| Female | 1969 | 72.20% |
| Other/Unknown | <5 | |
| AGE GROUP | Cases | Statewide% |
| Ages 00-04 | 5 | 0.18% |
| Ages 05-09 | <5 | |
| Ages 10-14 | 34 | 1.25% |
| Ages 15-19 | 1004 | 36.82% |
| Ages 20-24 | 933 | 34.21% |
| Ages 25-29 | 376 | 13.79% |
| Ages 30-34 | 150 | 5.50% |
| Ages 35-39 | 110 | 4.03% |
| Ages 40-44 | 66 | 2.42% |
| Ages 45-49 | 30 | 1.10% |
| Ages 50-54 | 10 | 0.37% |
| Ages 55-59 | <5 | |
| Ages 60-64 | <5 | |
| Ages 65+ | <5 | |
| Unknown | <5 | |
| RACE | Cases | Statewide% |
| White | 909 | 33.33% |
| Black | 343 | 12.58% |
| AI/AN | 1253 | 45.95% |
| Asian/PI | 141 | 5.17% |
| Other/Unknown | 81 | 2.97% |
| * 14/1 | . • | |

^{*} When case counts in any cell are less than 5, case numbers are shown as <5 and rates are not displayed.

When the source population comprises less than 250 people, case numbers and rates are not displayed and the cell is shaded.

Alaska 2001 Census = 632,200 Persons GC cases =454

| | | AI/AN | | | Black | | | Asian/PI | | | White | | Otl | ner/Unknov | νn |
|------------------|--------|--------|---------|--------|--------|---------|--------|----------|---------|--------|--------|---------|---------|------------|---------|
| Age Group | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| Ages 00-04 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| Ages 05-09 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ages 10-14 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ages 15-19 | 6 | 43 | 49 | 10 | 14 | 24 | 1 | 2 | 3 | 2 | 12 | 14 | 0 | 0 | 0 |
| Ages 20-24 | 19 | 36 | 55 | 23 | 14 | 37 | 1 | 1 | 2 | 16 | 13 | 29 | 1 | 0 | 1 |
| Ages 25-29 | 18 | 28 | 46 | 12 | 4 | 16 | 3 | 1 | 4 | 11 | 8 | 19 | 0 | 0 | 0 |
| Ages 30-34 | 7 | 17 | 24 | 4 | 1 | 5 | 0 | 0 | 0 | 5 | 5 | 10 | 1 | 0 | 1 |
| Ages 35-39 | 6 | 16 | 22 | 7 | 1 | 8 | 0 | 1 | 1 | 9 | 2 | 11 | 0 | 0 | 0 |
| Ages 40-44 | 8 | 15 | 23 | 4 | 0 | 4 | 0 | 0 | 0 | 10 | 2 | 12 | 0 | 0 | 0 |
| Ages 45-49 | 3 | 1 | 4 | 6 | 1 | 7 | 0 | 0 | 0 | 4 | 0 | 4 | 0 | 0 | 0 |
| Ages 50-54 | 6 | 1 | 7 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 |
| Ages 55-59 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| Ages 60-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ages 65+ | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 76 | 160 | 236 | 67 | 35 | 102 | 5 | 5 | 10 | 60 | 43 | 103 | 3 | 0 | 3 |
| % Sex, by Race* | 32.20% | 67.80% | 100.00% | 65.69% | 34.31% | 100.00% | 50.00% | 50.00% | 100.00% | 58.25% | 41.75% | 100.00% | 100.00% | 0.00% | 100.00% |
| % Race, by Sex** | 36.02% | 65.84% | 51.98% | 31.75% | 14.40% | 22.47% | 2.37% | 2.06% | 2.20% | 28.44% | 17.70% | 22.69% | 1.42% | 0.00% | 0.66% |

^{* %} Sex, by Race refers to the percentage of gonorrhea cases, by sex, within each race category.

^{** %} Race, by Sex refers to the percentage of gonorrhea cases, by race, within each sex category.

Table 3. Continued

| | | All Races | | | |
|------------------|---------|-----------|---------|------------|---------|
| Age Group | Male | Female | Total | AgeGroup | AgeGrp% |
| Ages 00-04 | 1 | 1 | 2 | Ages 00-04 | 0.44% |
| Ages 05-09 | 0 | 0 | 0 | Ages 05-09 | 0.00% |
| Ages 10-14 | 0 | 2 | 2 | Ages 10-14 | 0.44% |
| Ages 15-19 | 19 | 71 | 90 | Ages 15-19 | 19.82% |
| Ages 20-24 | 60 | 64 | 124 | Ages 20-24 | 27.31% |
| Ages 25-29 | 44 | 41 | 85 | Ages 25-29 | 18.72% |
| Ages 30-34 | 17 | 23 | 40 | Ages 30-34 | 8.81% |
| Ages 35-39 | 22 | 20 | 42 | Ages 35-39 | 9.25% |
| Ages 40-44 | 22 | 17 | 39 | Ages 40-44 | 8.59% |
| Ages 45-49 | 13 | 2 | 15 | Ages 45-49 | 3.30% |
| Ages 50-54 | 8 | 2 | 10 | Ages 50-54 | 2.20% |
| Ages 55-59 | 2 | 0 | 2 | Ages 55-59 | 0.44% |
| Ages 60-64 | 0 | 0 | 0 | Ages 60-64 | 0.00% |
| Ages 65+ | 3 | 0 | 3 | Ages 65+ | 0.66% |
| Unknown | 0 | 0 | 0 | Unknown | 0.00% |
| Total | 211 | 243 | 454 | Total | 100.00% |
| % Sex, by Race* | 46.48% | 53.52% | 100.00% | | |
| % Race, by Sex** | 100.00% | 100.00% | 100.00% | | |

^{* %} Sex, by Race refers to the percentage of gonorrhea cases, by sex, within each race category.

^{** %} Race, by Sex refers to the percentage of gonorrhea cases, by race, within each sex category.

| | Aleutian | & Pribilofs | Ancho | rage/Mat-Su | Arc | tic Slope | Br | istol Bay | Copper | River/Prince | I | nterior | Kena | i Peninsula |
|---------------|----------|-------------|-------|-------------|---------------|------------|-------|------------|--------|--------------|-------|------------|-------|-------------|
| | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% |
| TOTAL | <5 | | 262 | 57.71% | <5 | | 5 | 1.10% | <5 | | 28 | 6.17% | 9 | 1.98% |
| SEX | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Male | <5 | | 130 | 49.62% | <5 | | <5 | | <5 | | 16 | 57.14% | 6 | 66.67% |
| Female | <5 | | 132 | 50.38% | <5 | | <5 | | <5 | | 12 | 42.86% | <5 | |
| Other/Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| AGE GROUP | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| Ages 00-04 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 05-09 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 10-14 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 15-19 | <5 | | 42 | 16.03% | <5 | | <5 | | <5 | | 5 | 17.86% | <5 | |
| Ages 20-24 | <5 | | 67 | 25.57% | <5 | | <5 | | <5 | | 10 | 35.71% | <5 | |
| Ages 25-29 | <5 | | 54 | 20.61% | <5 | | <5 | | <5 | | 5 | 17.86% | <5 | |
| Ages 30-34 | <5 | | 29 | 11.07% | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 35-39 | <5 | | 28 | 10.69% | < 5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 40-44 | <5 | | 19 | 7.25% | < 5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 45-49 | <5 | | 13 | 4.96% | < 5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 50-54 | <5 | | 6 | 2.29% | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 55-59 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 60-64 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 65+ | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| RACE | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% |
| White | <5 | | 78 | 29.77% | | | | | | | 5 | 17.86% | 5 | 55.56% |
| Black | <5 | | 88 | 33.59% | | | | | | | 13 | 46.43% | <5 | |
| AI/AN | <5 | | 85 | 32.44% | | | | | | | 10 | 35.71% | <5 | |
| Asian/PI | <5 | | 9 | 3.44% | | | | | | | <5 | | <5 | |
| Other/Unknown | <5 | | <5 | | | | | | | | <5 | | <5 | |

^{*} When case counts in any cell are less than 5, case numbers are shown as <5 and rates are not displayed.

Table 4. Continued

| | Kod | iak Area | North | west Arctic | Norte | on Sound | Sou | utheast | Yukon- | Kuskokwim | Statev | vide Totals |
|---------------|-------|------------|-------|-------------|-------|------------|-------|------------|--------|------------|--------|-------------|
| | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% | Cases | Statewide% |
| TOTAL | 9 | 1.98% | 37 | 8.15% | 40 | 8.81% | 13 | 2.86% | 47 | 10.35% | 454 | 100.00% |
| SEX | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Statewide% |
| Male | <5 | | 14 | 37.84% | 19 | 47.50% | 5 | 38.46% | 16 | 34.04% | 211 | 46.48% |
| Female | 8 | 88.89% | 23 | 62.16% | 21 | 52.50% | 8 | 61.54% | 31 | 65.96% | 243 | 53.52% |
| Other/Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| AGE GROUP | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Statewide% |
| Ages 00-04 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 05-09 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 10-14 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 15-19 | <5 | | 13 | 35.14% | 5 | 12.50% | 5 | 38.46% | 15 | 31.91% | 90 | 19.82% |
| Ages 20-24 | <5 | | 10 | 27.03% | 10 | 25.00% | 5 | 38.46% | 9 | 19.15% | 124 | 27.31% |
| Ages 25-29 | <5 | | <5 | | 10 | 25.00% | <5 | | 6 | 12.77% | 85 | 18.72% |
| Ages 30-34 | <5 | | <5 | | <5 | | <5 | | <5 | | 40 | 8.81% |
| Ages 35-39 | <5 | | <5 | | <5 | | <5 | | <5 | | 42 | 9.25% |
| Ages 40-44 | <5 | | <5 | | 6 | 15.00% | <5 | | 8 | 17.02% | 39 | 8.59% |
| Ages 45-49 | <5 | | <5 | | <5 | | <5 | | <5 | | 15 | 3.30% |
| Ages 50-54 | <5 | | <5 | | <5 | | <5 | | <5 | | 10 | 2.20% |
| Ages 55-59 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 60-64 | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Ages 65+ | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| Unknown | <5 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| RACE | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Local% | Cases | Statewide% |
| White | | | | | | | 6 | 46.15% | | | 103 | 22.69% |
| Black | | | | | | | <5 | | | | 102 | 22.47% |
| AI/AN | | | | | | | 6 | 46.15% | | | 236 | 51.98% |
| Asian/PI | | | | | | | <5 | | | | 10 | 2.20% |
| Other/Unknown | | | | | | | <5 | | | | <5 | |

^{*} When case counts in any cell are less than 5, case numbers are shown as <5 and rates are not displayed.